

Touch pen, thick, for resistive touch screen, optimized for glove operation, incl. screw-on Wall holder Further information, Quantity and content: see technical data



General information	
Product type designation	Touch pen, thick, resistive technology
Control elements	
Frame size/design	
<ul style="list-style-type: none"> • Standard 	Yes; For industrial applications
<ul style="list-style-type: none"> • Ergonomic 	Yes; With holder
Installation type/mounting	
Wall mounting/direct mounting	Yes; Screw-on clamping holder and elastic attachment cord
Standards, approvals, certificates	
RoHS conformity	Yes
Ambient conditions	
Ambient temperature during operation	
<ul style="list-style-type: none"> • min. 	-40 °C; At temperatures below 10 °C and above 30 °C, the use of suitable gloves is recommended.
<ul style="list-style-type: none"> • max. 	80 °C
Ambient temperature during storage/transportation	
<ul style="list-style-type: none"> • min. 	-40 °C

• max.	80 °C
Relative humidity	
• Operation, max.	90 %
Mechanics/material	
Material	
• Plastic	Yes; Touch pen SIMATIC HMI
• Sheet steel	Yes; Mounting
Screw type	
• Torx	Yes
Dimensions	
Height	155 mm; Length
Thickness	20 mm; Diameter
Scope of supply	
Delivery quantity in pieces	1; Optional for Extension Units of the PRO devices
Other	
Merchandise	Yes
Manufacturer name	SIEMENS AG
Manufacturer's address	Gleiwitzerstraße 555, 90475 Nuremberg, Germany
Target devices	for resistive touch screens, optimized for operating while wearing gloves
Usable in the following products	
• Product 1	6av2124-0*
• Product 2	6AV2123-2*
• Product 3	6AV6642-0BD01-3AX0
• Product 4	6AV6642-0BA01-1AX1
• Product 5	6AV6642-0BC01-1AX1
• Product 6	6AV6642-0DC01-1AX0
• Product 7	6AV6642-0DA01-1AX0
• Product 8	6AV6545-0DA10-0AX0
• Product 9	6AV6545-0DB10-0AX0
• Product 10	6AV6545-0AA15-2AX0
• Product 11	6AV3637-1PL00-0AX0
• Product 12	6AV6642-0EA01-3AX0
• Product 13	6AV6644-0CB01-2AX0
• Product 14	6AV6643-8AD10-0AA0
• Product 15	6AV6640-0CA01-0AX0
• Product 16	6AV6545-0AH10-0AX*
• Product 17	6AV6642-0AA11-0AX*
• Product 18	6AV6640-0CA01-0AX0
• Product 19	6AV6545-0CC10-0AX0

- Product 20

6AV2123-2*

last modified:

08/15/2019