








Shutter (tall), Frame Size 3, 4-pole, for 3WA3 breaking capacity class M / H / E, In = 4000-5000A, For replacement only.




Approvals Certificates

General Product Approval		EMV	Test Certificates	
	 EG-Konf.	 UL		 RCM
		Type Test Certificates/Test Report		
Test Certificates	Maritime application	other		
Special Test Certificate	Miscellaneous	 LRS	Confirmation	

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AP35>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AP35>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AP35
CAX-Online-Generator
<http://www.siemens.com/cax>
Tender specifications
<http://www.siemens.com/specifications>



last modified:

4/4/2025 

