

Arc Chute Cover for circuit breakers withdrawable or cradles (guide frames), Frame Size 2, 3-pole, for 3WA2 breaking capacity class S / H, In = 800-3000A, for 3WA3 breaking capacity class N / S / M, In = 800-3200A,



### Approvals Certificates

General Product Approval

EMV

Test Certificates



[Type Test Certificates/Test Report](#)

[Special Test Certificate](#)

[Miscellaneous](#)

Maritime application

other

Dangerous goods



[Confirmation](#)



[Dangerous goods information](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AS40>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AS40>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AS40](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AS40)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

last modified:

4/13/2025 

