

Cover for position switch for plastic enclosure 50 mm, Color yellow



<b>Product designation</b>	cover for 50 mm wide enclosures, plastic, yellow
<b>General technical data</b>	
<b>Protection class IP</b>	IP66/IP67
<b>Shock resistance</b>	30 g / 11 ms
• acc. to IEC 60068-2-27	
<b>Length of the sensor</b>	53 mm
<b>Width of the sensor</b>	50 mm
Design of the interface for safety-related communication	without
<b>Enclosure</b>	
<b>Design of the housing</b>	block, wide
<b>Coating of the enclosure</b>	Other types
<b>Drive Head</b>	
<b>Design of the operating mechanism</b>	Other, without, cover
<b>Cable entry type</b>	M12 plug
<b>Communication/ Protocol</b>	
<b>Design of the interface</b>	without

## Ambient conditions

Explosion protection category for dust none

## Installation/ mounting/ dimensions

Mounting position any

Mounting type screw fixing

## Certificates/ approvals

General Product Approval	Functional Safety/Safety of Machinery	Declaration of Conformity
 CCC	 UL	 EG-Konf.
 CSA		<a href="#">Type Examination Certificate</a>

Declaration of Conformity	Test Certificates	other
<a href="#">Miscellaneous</a>	<a href="#">Type Test Certificates/Test Report</a>	<a href="#">Confirmation</a>

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

[www.siemens.com/sirius/catalogs](http://www.siemens.com/sirius/catalogs)

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE5240-0AA00-1AG0>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE5240-0AA00-1AG0>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE5240-0AA00-1AG0>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SE5240-0AA00-1AG0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE5240-0AA00-1AG0&lang=en)



last modified:

07/26/2019