

Blades: Spare part for cradle (guide frame) rear walls with with rear vertical connections, frame size 1, 3-pole, for 3WA2 breaking capacity class N / S, In = 2000A, for 3WA2 breaking capacity class H / E, In = 800-2000A for 3WA3 breaking capacity class N / S, In = 2000A, for 3WA3 breaking capacity class E, In = 800-2000A, 6 pcs.

### Approvals Certificates

General Product Approval

EMV

Test Certificates

other



[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Confirmation](#)

### Further information

#### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AY31>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AY31>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AY31](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AY31)

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Tender specifications

<http://www.siemens.com/specifications>





---

last modified:

4/13/2025 