



Shutter (short), Frame Size 3, 3-pole, for 3WA2 breaking capacity class C, In = 4000-5000A, for 3WA3 breaking capacity class C, In = 3200-5000A, For replacement only.




### Approvals Certificates

General Product Approval	EMV	Test Certificates
		
		<a href="#">Type Test Certificates/Test Report</a>

Test Certificates	Maritime application	other
<a href="#">Miscellaneous</a>		

### Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-1AP32>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3WA9111-1AP32>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3WA9111-1AP32](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-1AP32)
- CAX-Online-Generator  
<http://www.siemens.com/cax>
- Tender specifications  
<http://www.siemens.com/specifications>



---

last modified:

4/4/2025 

