

3-PHASE INCOM.-FEEDER TERMINAL FOR 3-PHASE BUSBARS, FOR SELF-PROTECTED COMBINATION MOTOR CONTROLLER (TYPE E), FOR CIRCUIT-BREAKER 3RV SIZE S0, CONNECTION FROM TOP, CONNECTIONS IN FORK FORM



Figure similar

General technical data:		
product brandname		SIRIUS
Product designation		Three-phase feeder terminal
Size of the circuit-breaker		S00, S0
Protection class IP on the front		IP20
Insulation voltage with degree of pollution 3 rated value	V	690
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +60
Ampacity maximum	A	63
Installation/ mounting/ dimensions:		
Width	mm	44
Height	mm	44.5
Depth	mm	32
Connections/ Terminals:		
Type of electrical connection for main current circuit		screw-type terminals

**Type of connectable conductor cross-sections**

- for main contacts
  - solid 1x (2.5 ... 16 mm<sup>2</sup>)
  - stranded 1x (2.5 ... 25 mm<sup>2</sup>)
  - finely stranded
    - with core end processing 1x (4 ... 16 mm<sup>2</sup>)
- at AWG conductors for main contacts 1x (10 ... 4)

**Certificates/ approvals:**

**Certificate of suitability**

CE / UL / CSA / CCC

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
--------------------------	---------------------------	-------------------	-------------------



[Special Test Certificate](#)



Shipping Approval	other
-------------------	-------



[Environmental Confirmations](#)

[Confirmation](#)



**Further information**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RV1925-5EB>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RV1925-5EB>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RV1925-5EB&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RV1925-5EB&lang=en)



last modified:

05/19/2017