

Fuse terminal with screw terminal Terminal size 4.0 mm<sup>2</sup> Terminal width 6.2 mm Color black fuse 5x 20 mm



Figure similar

Model	
Product brand name	ALPHA
Product designation	ALPHA FIX terminal blocks
Design of terminal / Terminal levels internally linked	No
General technical data	
Terminal contact spacing	6.2 mm
Operating voltage / rated value	500 V
Protection class	
Combustibility class acc. to UL 94	V0
Main circuit	
Operating current / rated value	6.3 A
Appearance	
Color	black
Product details	
Product component / required / connection plate	No

Number	
Number of terminal levels	1
Number of terminal points / per terminal level	2

Connections	
Wire stripping length	9 mm
Connectable conductor cross-section / finely stranded	
<ul style="list-style-type: none"> <li>with core end processing / minimum</li> <li>with core end processing / maximum</li> </ul>	0.14 mm <sup>2</sup> 4 mm <sup>2</sup>
Type of electrical connection	
<ul style="list-style-type: none"> <li>1</li> <li>2</li> </ul>	screw-type terminal screw-type terminal
Position / of the terminal	lateral

Mechanical Design	
Height / with lowest-profile installation	73 mm
Length	57.8 mm
Mounting type	DIN rail 35 mm
Net weight	17.5 g
Material / of the insulating body	Thermoplast

Environmental conditions	
Ambient temperature / during operation	
<ul style="list-style-type: none"> <li>minimum</li> <li>maximum</li> </ul>	-25 °C 55 °C

Certificates	
Design tested acc. to type of protection / EEx e	No

General Product Approval	Declaration of Conformity	other
		<a href="#">Miscellaneous</a>



[Miscellaneous](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH1000-1GG08>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8WH1000-1GG08>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8WH1000-1GG08](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH1000-1GG08)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>