

Product type designation

C-PLUG

C-plug, removable data storage medium For simple device replacement in case of fault, for recording configuration or configuration and application data, can be used in the following SIMATIC NET products with C-plug slot: SCALANCE XC-200, XP-200, XM-400, XR-500, M-800, W-700, SC-600 and S615



Ambient conditions

| | |
|--|----------------|
| Ambient temperature | |
| <ul style="list-style-type: none"> during operation | -40 ... +75 °C |
| <ul style="list-style-type: none"> during storage | -40 ... +80 °C |
| <ul style="list-style-type: none"> during transport | -40 ... +80 °C |
| Relative humidity | |
| <ul style="list-style-type: none"> at 25 °C / without condensation / during operation / maximum | 95 % |
| Protection class IP | IP20 |

Design, dimensions and weights

| | |
|--|---------|
| Width | 24.3 mm |
| Height | 17 mm |
| Depth | 8.1 mm |
| Net weight | 5 g |
| design of the removable storage | |
| <ul style="list-style-type: none"> C-PLUG | Yes |
| <ul style="list-style-type: none"> KEY-PLUG | No |
| Product feature / conformal coating | No |

Product features, product functions, product components / general

Storage capacity 256 Mibyte

Standards, specifications, approvals

Reference code

- according to IEC 81346-2:2018

CFA

Further information / Internet-Links

Internet-Link

- to website: TIA Selection Tool
- to website: Selector SIMATIC NET SELECTION TOOL
- to the website: IWLAN
- to website: Industrial communication
- to website: Industry Mall
- to website: Information and Download Center
- to website: Image database
- to website: CAx Download Manager
- to website: Industry Online Support

<http://www.siemens.com/tia-selection-tool>

<http://www.siemens.com/snst>

<http://www.siemens.com/iwlan>

<http://www.siemens.com/simatic-net>

<https://mall.industry.siemens.com>

<http://www.siemens.com/industry/infocenter>

<http://automation.siemens.com/bilddb>

<http://www.siemens.com/cax>

<https://support.industry.siemens.com>

last modified:

02/29/2020