

SIMATIC Field PG M6 Advanced; i7-8850H (2.6 to 4.3 GHz; 6 kernels + hyper-threading; 9 MB Smart Cache); 15.6" display; Full HD (1920x 1080); WLAN 802.11ac & Bluetooth V5.0; DVD +/-RW; UHD Graphics 630; 1x 32 GB DDR4 SD-RAM SO-DIMM; 2 TB SSD SATA (2.5"); without S5 interface, without S5-EPROMMER Line cable with power plug: USA; Keyboard: QWERTZ/QWERTY; without NVME (M.2); Windows 10 IoT Enterprise (Version 1903), 64-bit; trial license STEP 7 Professional Combo; trial license WinCC Advanced Combo (TIA Portal & WinCC flexible), trial license Safety Advanced Combo (TIA Portal & Distributed Safety); version of the pre-installed and licenses V17

| General information | |
|-------------------------------------|--|
| Design of the programming device | Notebook |
| Display | |
| Design of display | 15.6" full HD display in 16:9 format |
| Resolution (pixels) | |
| • Horizontal image resolution | 1 920 pixel |
| • Vertical image resolution | 1 080 pixel |
| General features | |
| • Non-reflecting | Yes |
| • Luminance | 300 cd/m ² |
| Backlighting | |
| • Type of backlighting | LED |
| Control elements | |
| Keyboard fonts | |
| • Design | QWERTZ/QWERTY or AZERTY (French); 87 keys |
| Touch operation | |
| • Integrated touch pad | Yes; Clickpad |
| Supply voltage | |
| Design of the power supply | External wide-range power supply; 3-pole |
| permissible range, lower limit (AC) | 100 V; ±10 %, sinusoidal |
| permissible range, upper limit (AC) | 240 V; ±10 %, sinusoidal |
| Line frequency | |
| • permissible range, lower limit | 47 Hz |
| • permissible range, upper limit | 63 Hz |
| Processor | |
| Processor type | Intel Core i5-8400H (2.5 to 4.2 GHz, 4 cores and hyper-threading, 8 MB Smart Cache) or i7-8850H (2.6 to 4.3 GHz 6 cores and hyper-threading, 9 MB Smart Cache) |
| Chipset | Intel CM246 |
| Hyper-threading | Yes |
| Turbo Boost Technology 2.0 | Yes |
| Graphic | |
| Graphics controller | Intel® UHD Graphics 630 |
| Drives | |
| SSD | Yes; Easy to replace |
| • Memory capacity | 256 Gbyte; Up to 2 TB SSD |
| TPM Security Chip | Yes; 2.0 (version for China without TPM) |
| Memory | |
| Type of memory | DDR4 SO-DIMM |
| Work memory | |
| • Number of slots | 2; can be equipped with 1x 8 GB, 1x 16 GB, 1x 32 GB or 2x32 GB |
| Accumulator | |
| Replaceable | Yes; Lithium-ion battery |
| Capacity | 8.25 A·h |
| Interfaces | |
| Number of interfaces PROFIBUS DP | 1; 1x PROFIBUS DP / MPI; 9-pin Sub-D socket; 9.6 kBaud to 12 MBaud |

| | |
|---|--|
| Number of RS 232 interfaces | 1; 25-pin socket |
| Number of USB interfaces | 4 |
| <ul style="list-style-type: none"> • Type A | 3; 1x USB port incl. integrated charging function for USB devices (e.g. smartphone) - also with device switched off |
| <ul style="list-style-type: none"> • Type C | 1; USB 3.1 Gen. 2 |
| Number of chip-card readers | 1; Smart Card Reader (ISO/IEC 7816) |
| Bluetooth radio standard | Yes; V5.0 |
| Multimedia card/SD card slot | 2 in 1 (SDHC UHS-II, MMC) |
| Card reader for SIMATIC memory cards | SIMATIC memory cards (for S7-300/400), SMC (for S7-1x00), SIMATIC micro memory card (for S7-300/C7/ET 200) - including programming interfaces |
| Universal Audio Jack | Yes; Audio socket for 3.5 mm jack |
| Video interfaces | |
| <ul style="list-style-type: none"> • analog video signal (VGA) | Yes; via adapter from DVI to VGA |
| <ul style="list-style-type: none"> • DVI-I | Yes; 1x |
| <ul style="list-style-type: none"> • DisplayPort | Yes; 1x |
| Industrial Ethernet | |
| <ul style="list-style-type: none"> • Industrial Ethernet interface | 2x Ethernet (RJ45) |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> — 100 Mbps | Yes |
| <ul style="list-style-type: none"> <ul style="list-style-type: none"> — 1000 Mbps | Yes |
| <ul style="list-style-type: none"> • Wake on LAN | Yes |
| <ul style="list-style-type: none"> • IAMT (Intel Active Management Technology) | Yes |
| WLAN | |
| <ul style="list-style-type: none"> • Type | 802.11ac |
| Interrupts/diagnostics/status information | |
| LED status display | Battery status, device status, access to HDD/DVD, access to SD/MMC, MPI/DP, S5 and S7 modules / Card Reader (except Smart Card Reader), Num Lock, Caps Lock, WLAN active |
| EMC | |
| Interference immunity against discharge of static electricity | |
| <ul style="list-style-type: none"> • Interference immunity against discharge of static electricity acc. to IEC 61000-4-2 | Yes; ±4 kV contact discharge acc. to IEC 61000-4-2, ESD; ±8 kV air discharge acc. to IEC 61000-4-2, ESD |
| Interference immunity to cable-borne interference | |
| <ul style="list-style-type: none"> • Interference immunity on supply cables | ±2 kV (according to IEC 61000-4-4, burst); ±1 kV (according to IEC 61000-4-5, surge pulse/line to line); ±2 kV (according to IEC 61000-4-5, surge pulse/line to ground) |
| <ul style="list-style-type: none"> • Interference immunity on signal cables | ±1 kV (according to IEC 61000-4-4, burst, length < 30 m); ±2 kV (according to IEC 61000-4-4, burst, length > 30 m); ±2 kV (according to IEC 61000-4-5, surge sym./line to ground, length > 30 m) |
| Standards, approvals, certificates | |
| CE mark | Yes |
| CSA approval | Yes |
| UL approval | Yes |
| DIN/ISO 9001 | Yes |
| Ambient conditions | |
| Ambient temperature during operation | |
| <ul style="list-style-type: none"> • min. | 5 °C; Max. 10 °C/h (no condensation) |
| <ul style="list-style-type: none"> • max. | 40 °C; Max. 10 °C/h (no condensation) |
| Ambient temperature during storage/transportation | |
| <ul style="list-style-type: none"> • min. | -20 °C; Max. 20 °C/h (no condensation) |
| <ul style="list-style-type: none"> • max. | 60 °C; Max. 20 °C/h (no condensation) |
| Relative humidity | |
| <ul style="list-style-type: none"> • Operation, min. | 5 %; At 30 °C/h (no condensation); Tested according to IEC 60068-2-78, IEC 60068-2-30, IEC 60068-2-14 |
| <ul style="list-style-type: none"> • Operation, max. | 85 %; At 30 °C/h (no condensation); Tested according to IEC 60068-2-78, IEC 60068-2-30, IEC 60068-2-14 |
| Vibrations | |
| <ul style="list-style-type: none"> • Operation, tested according to IEC 60068-2-6 | Yes |
| Shock testing | |
| <ul style="list-style-type: none"> • tested according to IEC 60068-2-27 | Yes |
| Operating systems | |
| Local language of operating system | Multi-Language User Interface (MUI): 6 languages (English, German, French, Spanish, Italian, Chinese) |
| pre-installed operating system | |
| <ul style="list-style-type: none"> • Windows 10 | Yes; Windows 10 IoT Enterprise 2021 LTSC |

- Windows 11

Yes; Windows 11 IoT Enterprise (version 22H2)

Software

Preinstalled

- STEP 7 Professional (TIA Portal) Yes; software version: V16
- STEP 7 Yes; Professional 2017 SR2
- WinCC flexible Advanced 2008 Yes; Software version: SP5
- WinCC Advanced (TIA Portal) Yes; software version: V16
- STEP 5 Yes; Optional; software version: STEP 5 V7.23 HF2 (incl. GRAPH 5/II V7.15)

Mechanics/material

| | |
|----------------------------|------------------|
| Material of housing | metal |
| Handle | Yes; retractable |
| Socket for Kensington lock | Yes |
| rubber corner guards | Yes |

Dimensions

| | |
|--------|--------|
| Width | 385 mm |
| Height | 53 mm |
| Depth | 275 mm |

Weights

| | |
|-----------------|------------------------------------|
| Weight, approx. | 3.4 kg; incl. rechargeable battery |
|-----------------|------------------------------------|

Scope of supply

| | |
|------------------|-------------------------|
| Accumulator | Yes |
| Power supply | Yes |
| Backpack | Yes |
| SIMATIC Software | Yes |
| Recovery media | Yes; Restore & Recovery |

Other

| | |
|--------------|--|
| free hotline | Yes |
| Note: | Made in Germany: development and production in Germany |

Classifications

| | Version | Classification |
|--------|---------|----------------|
| eClass | 14 | 19-20-05-03 |
| eClass | 12 | 19-20-05-03 |
| eClass | 9.1 | 19-20-05-03 |
| eClass | 9 | 19-20-05-03 |
| eClass | 8 | 19-20-05-03 |
| eClass | 7.1 | 27-24-22-10 |
| eClass | 6 | 27-24-22-10 |
| ETIM | 9 | EC001418 |
| ETIM | 8 | EC001418 |
| ETIM | 7 | EC001418 |

Approvals / Certificates

General Product Approval



[Miscellaneous](#)



[KC](#)

[Miscellaneous](#)

General Product Approval

Dangerous goods

[BIS CRS](#)

[Dangerous goods information](#)

last modified:

5/22/2024

