

N isolating terminal thermoplast Screw terminal blue, 6.5mm, Sz. 4




Figure similar

Model	
Product brand name	ALPHA
Busbar design	6x6 mm
General technical data	
Insulation material	thermoplastic
Terminal contact spacing	6.5 mm
Operating voltage / rated value	500 V
Protection class	
Combustibility class acc. to UL 94	others
Main circuit	
Operating current / rated value	32 A
Appearance	
Color	blue
Product details	
Product component / required / connection plate	No

Number	
Number of terminal points	1

Connections	
Wire stripping length	11 mm
Connectable conductor cross-section	
<ul style="list-style-type: none"> • solid • stranded • finely stranded <ul style="list-style-type: none"> — with core end processing — without core end processing 	4 ... 4 mm ² 4 ... 4 mm ² 4 ... 4 mm ² 4 ... 4 mm ²
Tightening torque / with screw-type terminals	0.5 ... 0.5 N·m
Type of electrical connection	screw-type terminals

Mechanical Design	
Height / with lowest-profile installation	35 mm
Length	55 mm
Mounting type	others
Net weight	14 g
Material / of the insulating body	Thermoplast

Certificates	
Reference code	
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 • acc. to DIN EN 81346-2 	X X

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval	other
--------------------------	---------------------------	-------------------	-------------------	-------



[Miscellaneous](#)



[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WA1011-1NG31>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WA1011-1NG31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WA1011-1NG31

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

