

HIGH PERFORMANCE GLOVES AND SLEEVES

KEVLAR®/STEEL



3730 Power-Cor Xtra™
--13-Gauge, Kevlar®/Steel/Synthetic Fiber Shell
--3/4 Foam Nitrile Coating
--CE Cut Level 5, CE/EN 388: 4532
--ANSI Cut Level 4, 2950 grams
--Sizes: S-2XL



3735 Power-Cor Max™
--10-Gauge, Kevlar®/Steel/Cotton Shell
--CE Cut Level 5, CE/EN 388: 154X
--ANSI Cut Level 4, 2657 grams
--Sizes: S-2XL

ANSI
Cut Level
4



3737 Power-Cor Max™
--10-Gauge, Kevlar®/Steel/Cotton Shell
--Split Cowhide Leather Palm with Pigskin Forchettes
--CE Cut Level 5, CE/EN 388: 4544
--ANSI Cut Level 4, 2688 grams
--Sizes: S-2XL



3736 Power-Cor Max™
--10-Gauge, Kevlar®/Steel/Cotton Shell
--Blue Crinkle Finish Latex Coating
--CE Cut Level 5, CE/EN 388: 3544
--ANSI Cut Level 4, 2355 grams
--Sizes: S-2XL

CORIDOWA

HIGH PERFORMANCE GLOVES



3750 S-XL
White Shell
White PU



3752 Monarch™ PU
--13-Gauge, Black Taeki5® Shell
--Polyurethane Palm Coating
--CE Cut Level 5, CE/EN 388: 4542
--ANSI Cut Level 3, 1021 grams
--CE/EN 407: Contact Heat Level 1
--Sizes: XS-2XL



3751 XS-2XL
Gray Shell
Gray PU

Taeki5® Properties
--CE Cut Level 5/Minimum ANSI Cut Level 3
--Abrasion and Contact Heat Resistant
--Multiple Shell Weights and Colors
--Multiple Coating Options
--Easy to Launder
--Unaffected by Chlorine Bleach & UV Light



3755 Monarch™ HCT
--13-Gauge, Gray Taeki5® Shell
--Black HCT-Nitrile Palm Coating
--CE Cut Level 5, CE/EN 388: 4542
--ANSI Cut Level 3, 1033 grams
--CE/EN 407: Contact Heat Level 1
--Sizes: S-XL



3758 Monarch™ NRL
--13-Gauge, Black Taeki5® Shell
--Black Natural Rubber Palm Coating
--CE Cut Level 5, CE/EN 388: 3542
--ANSI Cut Level 3, 1264 grams
--CE/EN 407: Contact Heat Level 1
--Sizes: XS-XL

HIGH PERFORMANCE GLOVES



3757 Monarch™ Leather

- 10-Gauge, Gray Taeki5® Shell
- Split Cowhide Leather Palm
- CE Cut Level 5, CE/EN 388: 4543
- ANSI Cut Level 4, 2264 grams
- CE/EN 407: Contact Heat Level 2
- Sizes: S-2XL



3745 Monarch Soft™

- 13-Gauge, Green/Black Shell
- Soft, Spun Taeki5® Fiber
- Microfoam Latex Coated
- CE Cut Level 5, CE/EN 388: 3542
- ANSI Cut Level 4, 1584 grams
- Sizes: S-2XL



3759 Monarch™ Dots

- 13-Gauge, Gray Taeki5® Shell
- Two-Side Nitrile Dots & Fingertips
- CE Cut Level 5, CE/EN 388: 454X
- ANSI Cut Level 3, 1085 grams
- CE/EN 407: Contact Heat Level 1
- Sizes: S-2XL

3740 Monarch Sub-Zero™

- 7-Gauge, Hi-Vis Taeki5® Shell
- Brushed Interior
- Microfoam Latex Coated
- CE Cut Level 5, CE/EN 388: 2542
- ANSI Cut Level 3, 1471 grams
- CE/EN 511: Contact Cold Level 1
- Sizes: S-XL



3770 Monarch™ Shell

- 13-Gauge, Gray Taeki5® Shell
- Use as a glove or glove liner
- CE Cut Level 5, CE/EN 388: 454X
- ANSI Cut Level 3, 1205 grams
- CE/EN 407: Contact Heat Level 1
- Sizes: S-2XL



HIGH PERFORMANCE GLOVES

UHMWPE

3712G Rival™

- 13-Gauge, Gray UHMWPE Shell
- Gray Polyurethane Coating
- CE Cut Level 3, CE/EN 388: 4343
- Sizes: XS-2XL



3711G Valor™

- 13 Gauge, Salt & Pepper UHMWPE Shell
- Gray Polyurethane Coating
- CE Cut Level, CE/EN 388: 4342
- Sizes: XS-2XL



3712 Mirage™

- 13-Gauge, White UHMWPE Shell
- White Polyurethane Coating
- CE Cut Level 3, CE/EN 388: 4342
- Sizes: XS-XL



JAVELIN™

3711 Javelin™

- 13-Gauge, White UHMWPE Shell
- White Polyurethane Coating
- CE Cut Level 3, CE/EN 388: 4342
- Sizes: XS-XL



3710 Halo™

- 13-Gauge, White UHMWPE Shell
- White Polyurethane Palm Coating
- CE Cut Level 3, CE/EN 388: 4342
- Sizes: XS-2XL



3710G Uppercut™

- 13-Gauge, Salt & Pepper UHMWPE Shell
- Gray Polyurethane Palm Coating
- CE Cut Level 3, CE/EN 388: 4343
- Sizes: XS-2XL

3700G Premium

- 13-Gauge, Gray Plaited UHMWPE Shell
- Gray Polyurethane Palm Coating
- CE Cut Level 4, CE/EN 388: 4442
- Sizes: XS-2XL



3700 Premium

- 13-Gauge, White UHMWPE Shell
- White Polyurethane Palm Coating
- CE Cut Level 3, CE/EN 388: 4342
- Sizes: XS-2XL



UHMWPE: Ultra High Molecular Weight Polyethylene

- Lightweight, Comfortable & Breathable
- Abrasion and Cut Resistant
- Tensile Strength 15 Times Stronger Than Steel

HIGH PERFORMANCE GLOVES

UHMWPE



7736 OGRE-CR™

- 13 Gauge, Salt & Pepper UHMWPE Shell
- Gray Polyurethane Palm Coating
- TPR Finger and Hand Protectors
- CE Cut Level 3, CE/EN 388: 4342
- Sizes: M-2XL

3713 Cor-Tex™

- 13-Gauge, Hi-Vis Lime Plaited UHMWPE Shell
- Black Foam Nitrile Palm Coating
- CE Cut Level 3, CE/EN 388: 4344
- Sizes: XS-2XL



3725 Tuf-Cor™

- Cut & Splash Protection
- 13-Gauge UHPWPE Shell
- Full Blue Nitrile Inner Layer
- Black Sandy Outer Palm Coating
- CE Cut Level 3, CE/EN 388: 4344
- ANSI Cut Level 2, 557 grams
- Sizes: S-2XL



3714 Cor-Tex™

- 13-Gauge, Hi-Vis Orange Plaited UHMWPE Shell
- Black Foam Nitrile Palm Coating
- CE Cut Level 3, CE/EN 388: 4344
- Sizes: XS-2XL



3760 Sharpguard™

- 13-Gauge Salt & Pepper UHMWPE Shell
- Black Nitrile 3/4 Coating
- CE Cut Level 3, CE/EN 388: 4342
- ANSI Cut Level 2, 511 grams
- Sizes: S-XL

HIGH PERFORMANCE GLOVES

KEVLAR®



3070


3040

- 24 ounce, Kevlar®/Cotton Terry
- Loop-Out Construction with Knit Wrist
- Sizes: S, L



Kevlar® Shells & Dots

Style	Description	Sizes
3070	7-Gauge, 100% Kevlar® Shell, ANSI Cut Level 3, 1118 grams	XS-XL
3060	7-Gauge, Kevlar®/Cotton Plaited Shell, ANSI Cut Level 2, 895 grams	S-L
3062	10-Gauge, Kevlar®/Cotton Plaited Shell, ANSI Cut Level 2, 507 grams	S & L
3075	7-Gauge, 100% Kevlar® Shell with Two Side PVC Dots	XS-XL
3065	7-Gauge, Kevlar®/Cotton Plaited Shell with Two Side PVC Dots	XS-XL
3066	10-Gauge, Kevlar®/Cotton Plaited Shell with Two Side PVC Dots	S-XL



3066



8595K

- Golden Grain Goatskin Driver
- Seamless Kevlar® Knit Lining
- ANSI Cut Level 2, 654 grams
- Sizes: XS-2XL



3090 Power-Cor Leather™

- 7-Gauge, 100% Kevlar® Shell
- Split Cowhide Leather Palm
- Sewn with Kevlar® Thread
- CE Cut Level 3, CE/EN 388: 434X
- ANSI Cut Level 4, 1611 grams
- Sizes: XS-XL

3095

- 7-Gauge, Kevlar®/Cotton Plaited Shell
- Split Cowhide Leather Palm
- Sizes: S-XL

Kevlar®

- Cut Resistant
- Will Not Support Combustion
- Multiple Weights & Coating Options

HIGH PERFORMANCE GLOVES

KEVLAR®



3050 Power-Cor™

- 10-Gauge, Kevlar® Shell
- Blue Crinkle Finish Latex Palm Coating
- CE Cut Level 4, CE/EN 388: 3444
- ANSI Cut Level 4, 1030 grams
- ANSI Abrasion Level 3
- Sizes: S-XL



AG591 ActivGrip™ Advance-KEV

- 13-Gauge, Kevlar® Cut Resistant Shell
- Black MicroFinish® Nitrile Palm Coating
- CE Cut Level 3, CE/EN 388: 4342
- ANSI Cut Level 2, 736 grams
- Sizes: S-2XL



3055 Cor-Touch CR™

- 15-Gauge, Kevlar®/Lybra® Shell
- Black Textured Nitrile Palm Coating
- CE Cut Level 2, CE/EN 388: 3221
- ANSI Cut Level 2, 629 grams
- Treated with ActiFresh®
- Sizes: XS-2XL



3055C Cor-Touch KV4™

- 13-Gauge, Kevlar®/Lybra® Shell
- Black Foam Nitrile Palm Coating
- CE Cut Level 4, CE/EN 388: 4432
- ANSI Cut Level 2, 532 grams
- Sizes XS-2XL

HIGH PERFORMANCE SLEEVES

Ripcord™ High Tenacity Nylon/Cotton Plaited Sleeves

Style	Description
3719G2	18-inch, Elasticized Wrist, 2-inch Gusset at Bicep
3729G4	18-inch, Elasticized Wrist, 4-inch Gusset at Bicep
3738G2T	18-inch, Thumb Slot, 2-inch Gusset at Bicep
3739G4T	18-inch, Thumb Slot, 4-inch Gusset at Bicep

ANSI Cut Level 2, 671 grams

3738G2T

3739G4T

Kevlar® Sleeves

Style	Description
3010	Standard 10-inch Kevlar® Sleeve, Two-Ply
3014	Standard 14-inch Kevlar® Sleeve, Two-Ply
3014T	Standard 14-inch Kevlar® Sleeve, Thumb Slot, Two-Ply
3018	Standard 18-inch Kevlar® Sleeve, Two-Ply
3018T	Standard 18-inch Kevlar® Sleeve, Thumb Slot, Two-Ply
3018KC	Standard 18-inch Kevlar® Cotton Plaited Sleeve
3018KCT	Standard 18-inch Kevlar® Cotton Plaited Sleeve, Thumb Slot
3014E	Economy 14-inch Kevlar® Sleeve, Single-Ply
3018E	Economy 18-inch Kevlar® Sleeve, Single-Ply
3018TE	Economy 18-inch Kevlar® Sleeve, Thumb Slot, Single-Ply

All Two-Ply Kevlar® Sleeves: ANSI Cut Level 4, 1681 grams
All Single-Ply Kevlar® Sleeves: ANSI Cut Level 2, 807 grams

3014

3018T

3018TE

UHMWPE Sleeves

Style	Description
3715	15-inch, Gray, Elasticized Wrist and Bicep
3718	18-inch, Gray, Elasticized Wrist and Bicep

ANSI Cut Level 2, 586 grams

3715

3718

Monarch-Taeki5® Sleeves

Style	Description
3728	18-inch, Gray, Elasticized Wrist and Bicep
3728T	18-inch, Gray, Thumb Slot, Elasticized Bicep
3729V	18-inch, Gray, Elasticized Wrist, Velcro Closure at Bicep
3729VT	18-inch, Gray, Thumb Slot, Velcro Closure at Bicep
3722VT	22-inch, Gray, Thumb Slot, Velcro Closure at Bicep

ANSI Cut Level 3, 1327 grams

3728T

3729VT



CORDOVA

SAFETY PRODUCTS

Memphis Headquarters: 4025 Viscount Avenue, Memphis, TN 38118 Phone: 800.458.8763 Fax: 901.458.3343

West Coast Office: 4451 Eucalyptus Avenue, Suite 310, Chino, CA 91710 Phone: 877.264.9832 Fax: 877.264.9833

www.cordovaisc.com