

Assembly frame for 10" to 12" touch KTP 1000 Basic, MP 277 10" Touch, MP 377 12" Touch, Thin Client 10", IP65 and Sheet thickness < 2 mm Further information, Quantity and content: see technical data



| General information | |
|---------------------------------------|--|
| Product type designation | Mounting frame 10" ... 12" touch devices |
| Installation type/mounting | |
| Mounting in portrait format possible | Yes |
| Mounting in landscape format possible | Yes |
| Standards, approvals, certificates | |
| CE mark | No; No CE marking obligation |
| REACH | Yes |
| RoHS conformity | Yes |
| Use in hazardous areas | |
| • ATEX Zone 2 | No |
| • ATEX Zone 22 | No |
| • ATEX as target device | No |
| • IECEx Zone 1 | No |
| • IECEx Zone 11 | No |
| • IECEx Zone 2 | No |
| • IECEx Zone 22 | No |
| • cULus Class I Zone 1 | No |

| | |
|--|--|
| • cULus Class I Zone 2, Division 2 | No |
| • cULus Class II Division 2 | No |
| • FM Class I Division 2 | No |
| • FM Class II Division 2 | No |
| Marine approval | |
| • Germanischer Lloyd (GL) | No |
| • American Bureau of Shipping (ABS) | No |
| • Bureau Veritas (BV) | No |
| • Det Norske Veritas (DNV) | No |
| • Korean Register of Shipping (KRS) | No |
| • Lloyds Register of Shipping (LRS) | No |
| • Nippon Kaiji Kyokai (Class NK) | No |
| • Polski Rejestr Statkow (PRS) | No |
| • Chinese Classification Society (CCS) | No |
| • Marine approval as target device | No |
| Ambient conditions | |
| Suited for indoor use | Yes |
| Suited for outdoor use | No |
| Ambient temperature during operation | |
| • min. | -40 °C |
| • max. | 80 °C |
| Ambient temperature during storage/transportation | |
| • min. | -40 °C |
| • max. | 80 °C |
| Relative humidity | |
| • Operation, max. | 90 % |
| Mechanics/material | |
| Material | |
| • Sheet steel | Yes; Powder-coated |
| Enclosure material (front) | |
| • Sheet steel | Yes; Powder-coated |
| Scope of supply | |
| Delivery quantity in pieces | 1 |
| Other | |
| Merchandise | No |
| Manufacturer name | SIEMENS AG |
| Manufacturer's address | Gleiwitzerstraße 555, 90475 Nuremberg, Germany |
| Target devices | For KTP1000 Basic, MP277 10" touch, MP377 12" touch, Thin Client 10" |
| Usable in the following products | |
| • Product 1 | 6AV6647-0AE11-3AX0 |

- Product 2
- Product 3
- Product 4
- Product 5

[6AV6647-0AF11-3AX0](#)

[6AV6643-0CD01-1AX0](#)

[6AV6643-7CD00-0CJ0](#)

[6AV6643-7CD00-0CJ1](#)

last modified:

11/23/2019