

Remote motorized op. mech., size S2 24 V DC !!!  
 Phased-out product !!!



General technical data:

Product brand name		SIRIUS
Product designation		Motor remote operating mechanism
Size of the circuit-breaker		S2
Design of the product		standard
Control version of the switch operating mechanism		Motor
Suitability for use		circuit-breakers S2
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-20 ... +70
Shock resistance		25g / 11 ms
Operating frequency maximum	1/h	25
Color of the actuating element		black

Control circuit/ Control:

Type of voltage of the control supply voltage		DC
Control supply voltage		
• 1		
— at DC		

— rated value	V	24
— Initial rated value	V	20.4
— Final rated value	V	26.4

#### Installation/ mounting/ dimensions:

<b>Mounting position</b>		any
<b>Mounting type</b>		screw fixing
<b>Width</b>	mm	148
<b>Height</b>	mm	224
<b>Depth</b>	mm	211
<b>Required spacing for grounded parts</b>		
• forwards	mm	0
• Backwards	mm	0
• upwards	mm	0
• at the side	mm	0
• downwards	mm	0

#### Certificates/ approvals:

<b>Certificate of suitability</b>	CE
-----------------------------------	----

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
--------------------------	---------------------------	-------------------	-------------------



[Miscellaneous](#)

[Type Test Certificates/Test Report](#)



#### other

[Confirmation](#)



#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RV1936-3AB4>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RV1936-3AB4>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mfb=3RV1936-3AB4&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3RV1936-3AB4&lang=en)

last modified:

11/22/2019