



### Catalog No. THQL32090

Description: THQL 3 POLE 240V 10K IC 90 AMP

UPC No 783164012156

Home > Circuit Breakers > Residential Circuit Breakers > Q Line

Q Line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications in load centers or lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. The THQL32090 breaker features 3 poles, an ampere rating of 90 A, an interrupting rating of 10kAIC, and a voltage rating of 240V.



Representative Image

#### Descriptors

|              |                  |
|--------------|------------------|
| Category     | Q Line           |
| Product Line | Q-Line (Plug-In) |
| GO Schedule  | R8               |

#### Specifications

|                                 |                                   |
|---------------------------------|-----------------------------------|
| Interrupting Capacity Rating    | 10 kAIC                           |
| Voltage                         | 240 V                             |
| Trip Style                      | Non-Interchangeable               |
| Frame Type                      | Q-Line                            |
| Amperage                        | 90 A                              |
| System Voltage                  | 120 Vac<br>120/240 Vac<br>240 Vac |
| Poles                           | 3                                 |
| Trip Function                   | LI                                |
| Continuous Current Rated        | Standard                          |
| 120 Vac Interrupting Rating     | 10 KAIC                           |
| 120/240 Vac Interrupting Rating | 10 KAIC                           |
| 240 Vac Interrupting Rating     | 10 KAIC                           |
| Suitable for Reverse Feed       | Yes                               |
| Long Time                       | Fixed                             |
| Instantaneous                   | Fixed                             |
| Protective Relays               | No                                |
| Current Metering                | No                                |
| Special Markings                | HACR                              |
| GSA Compliance                  | No                                |

#### Classifications

|           |        |
|-----------|--------|
| UL File # | E11592 |
|-----------|--------|





## Publications

| Title   | Publication No. | Publication Type          |
|---|-----------------|---------------------------|
| <a href="#">Section 1 BuyLog: Load centers and circuit breakers</a><br>Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line. | DET1023         | Application and Technical |

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.