

SYLVANIA ValueLED™ UFO High Bay



SYLVANIA ValueLED™ UFO High Bay

Key Features and Benefits



Key features and benefits

- **Lightweight, impact resistant** fixture is designed for easy and safe installation
- **Multiple mounting options** for a variety of applications
 - Pendant
 - Loop
 - Surface mount
- **Variety of optics and accessories** – refractor, reflector, and sensor
- **IP65** rated aluminum body (finish is white)

Applications

- Gymnasiums
- Warehouses
- Big-Box / Retail
- General Lighting

UFO Highbay					
Wattage	CCT (K)	Dimming	Voltage	Warranty	DLC
100, 150, 200, 240	3500K*, 4000K, 5000K	0-10	120-277 (UNV) 347-480 (HUV)	5 years	Premium

*MTO with lead time

SYLVANIA ValueLED™ UFO High Bay

Product Offering – Stock and Flow / MTO Options from China

Item Number	Ordering Abbreviation	Wattage	Input Voltage	Dimming	CRI	Color Temp	Total Fixture Lumens (with refractor accessory)	LPW	Total Fixture Lumens (with reflector accessory)	LPW	DLC	MTO
61121	UFOHIBA1A/100UNVD835/WH	100	120-277	0-10	>80	3500K	13800	133	13100	126	Prm	MTO
61122	UFOHIBA1A/100UNVD840/WH	100	120-277	0-10	>80	4000K	13800	133	13100	126	Prm	
61123	UFOHIBA1A/100UNVD850/WH	100	120-277	0-10	>80	5000K	13800	133	13100	126	Prm	
61124	UFOHIBA1A/150UNVD835/WH	150	120-277	0-10	>80	3500K	20300	135	19200	127	Prm	MTO
61125	UFOHIBA1A/150UNVD840/WH	150	120-277	0-10	>80	4000K	20300	135	19200	127	Prm	
61126	UFOHIBA1A/150UNVD850/WH	150	120-277	0-10	>80	5000K	20300	135	19200	127	Prm	
61127	UFOHIBA1A/200UNVD835/WH	200	120-277	0-10	>80	3500K	26000	130	26000	127	Prm	MTO
61128	UFOHIBA1A/200UNVD840/WH	200	120-277	0-10	>80	4000K	26000	130	26000	127	Prm	
61129	UFOHIBA1A/200UNVD850/WH	200	120-277	0-10	>80	5000K	26000	130	26000	127	Prm	
61130	UFOHIBA1A/240UNVD835/WH	240	120-277	0-10	>80	3500K	31300	132	30300	127	Prm	MTO
61131	UFOHIBA1A/240UNVD840/WH	240	120-277	0-10	>80	4000K	31300	132	30300	127	Prm	
61132	UFOHIBA1A/240UNVD850/WH	240	120-277	0-10	>80	5000K	31300	132	30300	127	Prm	
61133	UFOHIBA1A/100HUV835/WH	100	347-480	0-10	>80	3500K	13800	133	13100	126	Prm	MTO
61134	UFOHIBA1A/100HUV840/WH	100	347-480	0-10	>80	4000K	13800	133	13100	126	Prm	
61135	UFOHIBA1A/100HUV850/WH	100	347-480	0-10	>80	5000K	13800	133	13100	126	Prm	
61136	UFOHIBA1A/150HUV835/WH	150	347-480	0-10	>80	3500K	20300	135	19200	127	Prm	MTO
61137	UFOHIBA1A/150HUV840/WH	150	347-480	0-10	>80	4000K	20300	135	19200	127	Prm	
61138	UFOHIBA1A/150HUV850/WH	150	347-480	0-10	>80	5000K	20300	135	19200	127	Prm	
61139	UFOHIBA1A/200HUV835/WH	200	347-480	0-10	>80	3500K	26000	130	26000	127	Prm	MTO
61140	UFOHIBA1A/200HUV840/WH	200	347-480	0-10	>80	4000K	26000	130	26000	127	Prm	
61141	UFOHIBA1A/200HUV850/WH	200	347-480	0-10	>80	5000K	26000	130	26000	127	Prm	
61142	UFOHIBA1A/240HUV835/WH	240	347-480	0-10	>80	3500K	31300	132	30300	127	Prm	MTO
61143	UFOHIBA1A/240HUV840/WH	240	347-480	0-10	>80	4000K	31300	132	30300	127	Prm	
61144	UFOHIBA1A/240HUV850/WH	240	347-480	0-10	>80	5000K	31300	132	30300	127	Prm	

MTO = MTO from China (90-120 day lead time)

SYLVANIA ValueLED™ UFO High Bay

Product Offering – MTO Options from LSOD

Item Number	Ordering Abbreviation	Wattage	Input Voltage	Dimming	CRI	Color Temp	Total Fixture Lumens (with reflector accessory)	LPW	Total Fixture Lumens (with reflector accessory)	LPW	DLC	Options	MTO
61148	UFOHIBA1A/150UNVD835/WH/M	150	120-277	0-10	>80	3500K	20300	135	19200	127	Prm	Motion	MTO
61149	UFOHIBA1A/150UNVD840/WH/M	150	120-277	0-10	>80	4000K	20300	135	19200	127	Prm	Motion	MTO
61150	UFOHIBA1A/150UNVD850/WH/M	150	120-277	0-10	>80	5000K	20300	135	19200	127	Prm	Motion	MTO
61151	UFOHIBA1A/200UNVD835/WH/M	200	120-277	0-10	>80	3500K	26000	130	26000	127	Prm	Motion	MTO
61152	UFOHIBA1A/200UNVD840/WH/M	200	120-277	0-10	>80	4000K	26000	130	26000	127	Prm	Motion	MTO
61153	UFOHIBA1A/200UNVD850/WH/M	200	120-277	0-10	>80	5000K	26000	130	26000	127	Prm	Motion	MTO

MTO = MTO from USA (30-60 day lead time)
Assuming in-stock for all products

SYLVANIA ValueLED™ UFO High Bay Accessories

Item Number	Ordering Abbreviation	Item Description
61428	UFOHIBA1A/PC1/T5	Polycarbonate refractor for 100 and 150W
61429	UFOHIBA1A/PC2/T5	Polycarbonate refractor for 200 and 240W
61430	UFOHIBA1A/AL1/90	Aluminum reflector for 100 and 150W (90-degree beam angle)
61431	UFOHIBA1A/AL2/90	Aluminum reflector for 200 and 240W (90-degree beam angle)
61432	UFOHIBA1A/BOTTOMLENS	Polycarbonate bottom lens




SYLVANIA ValueLED™ UFO High Bay Nomenclature

UFOHBAY	1A	/	XXX	XXX	D	8	XX	/	WH	/	X
Product Name	Generation		Wattage	Voltage	Dimming	CRI	Color Temp (CCT)		Color/Finish		Options
UFOHBAY = UFO High Bay	1A		100 = 100 Watts 150 = 150Watts 200 = 200 Watts 240 = 240 Watts	UNV = 120-277V HUV = 347-480V	D = 0-10V	8 = >80	35 = 3500K* 40 = 4000K 50 = 5000K		WH = White		Blank = No Options M = Motion*

* = MTO with lead time

SYLVANIA ValueLED™ UFO High Bay Phase In / Phase Out Information



- As the traditional high bay is depleted, the UFO high bay will be phased in as a replacement

SYLVANIA ValueLED™ UFO High Bay

Phase In / Phase Out Information

HIBAY1A --> UFOHIBA1A				
OLD NAED	OLD DESCR.	NEW NAED	NEW DESCR.	Launch Date
71731	HIBAY1A300UNVD840GR 1/CS 1/SKU	61131	UFOHIBA1A240UNVD840WH 1/CS 1/SKU	October
71732	HIBAY1A300UNVD850GR 1/CS 1/SKU	61132	UFOHIBA1A240UNVD850WH 1/CS 1/SKU	October
74230	HIBAY1A100UNVD840GR 1/CS 1/SKU	61122	UFOHIBA1A100UNVD840WH 1/CS 1/SKU	October
74231	HIBAY1A100UNVD850GR 1/CS 1/SKU	61123	UFOHIBA1A100UNVD850WH 1/CS 1/SKU	October
74232	HIBAY1A200UNVD840GR 24/CS 1/SKU	61125	UFOHIBA1A150UNVD840WH 1/CS 1/SKU	October
74233	HIBAY1A200UNVD850GR 24/CS 1/SKU	61126	UFOHIBA1A150UNVD850WH 1/CS 1/SKU	October
74269	HIBAY1A100347D840GR 1/CS 1/SKU	61134	UFOHIBA1A100HUVD840WH 1/CS 1/SKU	October
74449	HIBAY1ABOTTOMLENS16H5 9/CS 1/SKU	61432	UFOHIBA1ABOTTOMLENS 40/CS 1/SKU	October
74509	HIBAY1A100HUVD840GR 1/CS 1/SKU	61134	UFOHIBA1A100HUVD840WH 1/CS 1/SKU	October
74511	HIBAY1A200HUVD840GR 1/CS 1/SKU	61137	UFOHIBA1A150HUVD840WH 1/CS 1/SKU	October

THANK YOU