



SENTRON, fuse holder, Class CC, 3-pole, In: 30 A, Un AC: 600 V, LED Signal detector, compact version, respect national installation rules!

Model	
product brand name	SENTRON
product designation	Fuse holder
design of the product	LED signal detector, compact version
General technical data	
number of poles	3
size of fuse link	Class CC
Supply voltage	
operating voltage	
• at AC rated value	600 V
protection class IP	IP20
Mechanical Design	
height	90 mm
width	45 mm
depth	58 mm
net weight	201 g
Certificates	
reference code according to IEC 81346-2	F
General Product Approval	Declaration of Conformity

[Confirmation](#)



other

[Confirmation](#)

[Miscellaneous](#)

Further information

Siemens has decided to exit the Russian market (see here).
<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7534-1HG>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7534-1HG>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7534-1HG

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/9/2021 

